KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT #1 Date: 8/26/13

Data Collector(s): P. SUTTON Slope(%)/Aspect: 1

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	1	1								
Forb	0									
Shrub	0									
Total	1	--	--	--	--		--	--	--	--
Weed										
Cover Crop		--	--	--	--	--	--	--	--	--
Rock	15	--	--	--	--		--	--	--	--
Litter	1	--	--	--	--		--	--	--	--
Bare Ground	82	--	--	--	--		--	--	--	--

Reclamation Trial	Reference Site
Other Species: Grass	Other Species: Grass
Forb	Forb
Shrub 1 SMALL PLANT IN NW CORNER	Shrub
Weed	Weed

Relative % Cover _____ (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☑No

Canopy Cover ☐Yes ☑No

Mulch
☐ None
☑ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☐ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 8/26/13 Data Collector(s)

Site Data

Location Name: PLOT #1		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	0	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		0	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class:
1-20% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT #2 Date: 8/26/13

Data Collector(s): P. STROW Slope(%)/Aspect: /

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	1	1								
Forb										
Shrub										
Total		—	—	—	—		—	—	—	—
Weed	0									
Cover Crop	0	—	—	—	—	—	—	—	—	—
Rock	15	—	—	—	—		—	—	—	—
Litter	2	—	—	—	—		—	—	—	—
Bare Ground	82	—	—	—	—		—	—	—	—

Reclamation Trial	Reference Site
Other Species: Grass	Other Species: Grass
Forb 2 Found towards end	Forb
Shrub	Shrub
Weed	Weed

Relative % Cover _____ (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

TOOK PHOTO

Additional Monitoring Methods

Seedling Count ☑ Yes ☐ No

Canopy Cover ☐ Yes ☐ No

Mulch
- ☐ None
- ☐ Fiber

Grazing
- ☐ Wildlife
- ☐ Livestock
- ☐ Both

Severity
- ☐ None 0-5%
- ☐ Low 5-40%
- ☐ Moderate 40-60%
- ☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 8/26/13 Data Collector(s) P. STROW

Site Data

Location Name: Plot #2		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	~~3~~ 0	14
Surface Rock Fragments	Y	0	14
Pedestals	~~Y~~	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		3	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 1-20 Stable

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 8/26/13 Data Collector(s) A.S.TRAN

Site Data

Location Name: PLOT #3		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	3	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		6	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 1-20% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: 43 Date: 8/26/13

Data Collector(s): D. STROW Slope(%)/Aspect: ____ / ____

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	2	2								
Forb										
Shrub										
Total		—	—	—	—		—	—	—	—
Weed										
Cover Crop	0	—	—	—	—	—	—	—	—	—
Rock	15	—	—	—	—		—	—	—	—
Litter	2	—	—	—	—		—	—	—	—
Bare Ground	81	—	—	—	—		—	—	—	—
	Other Species: Grass					Other Species: Grass				
	Forb N/A					Forb				
	Shrub N/A					Shrub				
	Weed N/A					Weed				

Relative % Cover _____ (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☐No

Canopy Cover ☐Yes ☐No

Mulch
☐ None
☐ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☐ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT #1 Date: 9/2/13

Data Collector(s): P. SORON Slope(%)/Aspect: /

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	2	2				20				
Forb										
Shrub						69				
Total		—	—	—	—	89	—	—	—	—
Weed										
Cover Crop	0	—	—	—	—	—	—	—	—	—
Rock	15	—	—	—	—	0	—	—	—	—
Litter	2	—	—	—	—	10	—	—	—	—
Bare Ground	81	—	—	—	—	1	—	—	—	—

Other Species:		Other Species:	
Grass	N/A	Grass	N/A
Forb	N/A	Forb	N/A
Shrub	N/A	Shrub	N/A
Weed	N/A	Weed	N/A

Relative % Cover 2 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☐~~No~~

Canopy Cover ☐Yes ☐~~No~~

Mulch
☐ None
☐ ~~Fiber~~

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☐ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 9/3/13 Data Collector(s)

Site Data

Location Name: PLOT #1		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stability Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	0	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	6	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		6	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class:

1-20 STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT #2 Date: 9/2/13

Data Collector(s): P. STOW Slope(%)/Aspect: /

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	1									
Forb										
Shrub										
Total		--	--	--	--		--	--	--	--
Weed										
Cover Crop		--	--	--	--	--	--	--	--	--
Rock	15	--	--	--	--		--	--	--	--
Litter	2	--	--	--	--		--	--	--	--
Bare Ground	82	--	--	--	--		--	--	--	--

Other Species: Grass	N/A
Forb	N/A
Shrub	N/A
Weed	N/A

Other Species: Grass
Forb
Shrub
Weed

Relative % Cover 1 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☒No

Canopy Cover ☐Yes ☒No

Mulch
☒None
☐ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☐ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 9/2/13 Data Collector(s) A. STROW

Site Data

Location Name: PLOT #2		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		3	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 1-20% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT #3 Date: 9/2/13

Data Collector(s): P. STROH Slope(%)/Aspect: /

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	4	4								
Forb	~									
Shrub	~									
Total		--	--	--	--		--	--	--	--
Weed										
Cover Crop	0	--	--	--	--	--	--	--	--	--
Rock	15	--	--	--	--		--	--	--	--
Litter	2	--	--	--	--		--	--	--	--
Bare Ground	79	--	--	--	--		--	--	--	--

Other Species: Grass	Other Species: Grass
Forb N/A	Forb
Shrub N/A	Shrub
Weed N/A	Weed

Relative % Cover 4 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☑~~No~~

Canopy Cover ☐Yes ☑~~No~~

Mulch
☑~~None~~
☐ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☐ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 9/2/13 Data Collector(s) P. STROH

Site Description

Location Name: PLOT #3		Photographs taken: (circle one) Y N
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stratification Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	3	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		6	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 1-20% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT # 1 Date: 9/11/13

Data Collector(s): D. STRCH Slope(%)/Aspect: /

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	5	5								
Forb										
Shrub										
Total		—	—	—	—		—	—	—	—
Weed										
Cover Crop	0	—	—	—	—	—	—	—	—	—
Rock	15	—	—	—	—		—	—	—	—
Litter	2	—	—	—	—		—	—	—	—
Bare Ground	78	—	—	—	—		—	—	—	—
Other Species: Grass						Other Species: Grass				
Forb	N/A					Forb				
Shrub	N/A					Shrub				
Weed	N/A					Weed				

Relative % Cover 5 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☑No

Canopy Cover ☐Yes ☑No

Mulch
☐ None
☑ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☐ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 9/11/13 Data Collector(s) P. STROW

Site Data

Location Name: PLOT #1		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	3	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		6	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 1-20% Stable

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT #2 Date: 9/11/13

Data Collector(s): P. STOW Slope(%)/Aspect: 1

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	1	1								
Forb										
Shrub										
Total		--	--	--	--		--	--	--	--
Weed										
Cover Crop		--	--	--	--	--	--	--	--	--
Rock	15	--	--	--	--		--	--	--	--
Litter	2	--	--	--	--		--	--	--	--
Bare Ground	82	--	--	--	--		--	--	--	--

Other Species:		Other Species:
Grass	N/A	Grass
Forb	N/A	Forb
Shrub	N/A	Shrub
Weed	N/A	Weed

Relative % Cover 1 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☑No

Canopy Cover ☐Yes ☑No

Mulch
☑ None
☐ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☐ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 9/11/13 Data Collector(s) P. STROW

Site Data

Location Name: PLOT #2		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		3	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 1-20% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT #3 Date: 9/11/13

Data Collector(s): D. STRAW Slope(%)/Aspect: /

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	3	3				10				
Forb	—									
Shrub	—					70				1 —
Total	—	--	—	—	—	80	—	—	—	—
Weed	—									
Cover Crop	0	--	—	—	—	—	—	—	—	—
Rock	15	--	—	—	—	0	—	—	—	—
Litter	2	--	—	—	—	10	—	—	—	—
Bare Ground	80	--	—	—	—	1	—	—	—	—

Other Species:		Other Species:
Grass	N/A	Grass
Forb	N/A	Forb
Shrub	N/A	Shrub
Weed	N/A	Weed

Relative % Cover 3 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☐No

Canopy Cover ☐Yes ☐No

Mulch
☑ None
☐ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☐ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 9/11/13 Data Collector(s) P. STROH

Site Data

Location Name: PLOT ~~TEST~~ #3		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	0	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		0	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 1-20% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 9/29/13 Data Collector(s) P. SOTOW / S. LAMMERS

Site Data

Location Name: PLOT 1		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stability Form Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	0	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		0	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 0/100 0% Stable

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 9/29/13 Data Collector(s) P. SUTTON / S. LAMMERS

Site Data

Location Name: PLOT 2		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stratification Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	5	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		5	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 5/100 = 5% Stable

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 9/29/13 Data Collector(s)

Site Data

Location Name: PLOT 3		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		3	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 3% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 10/7/13 Data Collector(s) ~~10/7/13~~ PETE STROH

Site Data

Location Name: PLOT 1		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments: INCREASED GROWTH IN NORTHERN HALF OF PLOT		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	0	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		0	180

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: ~~100%~~ 1-20% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 10/7/13 Data Collector(s) PETE STRON

Site Data

Location Name: PLOT 2		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes: YES
Comments: BEAR SCAT IN SW CORNER PROMOTING GROWTH		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	0	14
Surface Litter	Y	3	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		3	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 3% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 10/7/13 Data Collector(s) PETE STROM

Site Data

Location Name: PLOT 3		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		3	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 3% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: ABOT 1 Date: 10/1/13

Data Collector(s): PETE STRONI Slope(%)/Aspect: 1

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	30	30								
Forb		~								
Shrub		~								
Total		--	—	—	—		—	—	—	—
Weed	~									
Cover Crop	—	--	—	—	—	—	—	—	—	—
Rock	15	--	—	—	—		—	—	—	—
Litter	2	--	—	—	—		—	—	—	—
Bare Ground	47	--	—	—	—		—	—	—	—

Other Species:		Other Species:
Grass	N/A	Grass
Forb	~	Forb
Shrub	~	Shrub
Weed	~	Weed

Relative % Cover 30 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☒No

Canopy Cover ☐Yes ☒No

Mulch
☐ None
☑ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☒ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 10/21/13 Data Collector(s) PETE STROH

Site Data

Location Name: PLOT 1		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments: ~~OUTSIDE~~ NOTICEABLY MORE GROWTH IN PLOT, PARTICULARLY ON THE NORTHERN PORTION OF PLOT.		

Site Classification Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	0	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		3	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 3% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT 2 Date: 10/21/13

Data Collector(s): PETE STROM Slope(%)/Aspect: /

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	2									
Forb										
Shrub										
Total		—	—	—	—		—	—	—	—
Weed										
Cover Crop		—	—	—	—	—	—	—	—	—
Rock	15	—	—	—	—		—	—	—	—
Litter	2	—	—	—	—		—	—	—	—
Bare Ground	81	—	—	—	—		—	—	—	—

Other Species:	Other Species:
Grass	Grass
Forb	Forb
Shrub	Shrub
Weed	Weed

Relative % Cover 2 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☒No

Canopy Cover ☐Yes ☒No

Mulch
☒None
☐ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☒None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 10/2/13 Data Collector(s) PETE STREET

Site Data

Location Name: PLOT 2		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	~~14~~ 5	14
Surface Litter	Y	3	14
Surface Rock Fragments	Y	0	14
Pedestals	Y	0	14
Flow Patterns	Y	3	15
Rills	Y	3	14
Gullies	Y	3	15
TOTAL	~~0~~	17	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 17% STABLE

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

- IT APPEARS SOME SLUFFING HAS TAKEN PLACE W/ SOME SMALL FLOW PATTERNS OCCURING.

KC HARVEY ENVIRONMENTAL, LLC

KC HARVEY
ENVIRONMENTAL, LLC

Qualitative Monitoring

Site Name: PLOT 3 Date: 10/21/13

Data Collector(s): PETE STROM Slope(%)/Aspect: 1

Vegetation

	Reclamation Trial					Reference Site				
	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover	Total Foliar Cover	Species 1/ % Cover	Species 2/ % Cover	Species 3/ % Cover	Species 4/ % Cover
Grass	6	6								
Forb										
Shrub										
Total		--	--	--	--		--	--	--	--
Weed										
Cover Crop	0	--	--	--	--	--	--	--	--	--
Rock	15	--	--	--	--		--	--	--	--
Litter	2	--	--	--	--		--	--	--	--
Bare Ground	77	--	--	--	--		--	--	--	--

Other Species: Grass	Other Species: Grass
Forb N/A	Forb
Shrub N/A	Shrub
Weed N/A	Weed

Relative % Cover 6 (Disturbed Total (Grass+Forb+Shrub))/(Undisturbed Total (Grass+Forb+Shrub))

Additional Monitoring Methods

Seedling Count ☐Yes ☑No

Canopy Cover ☐Yes ☑No

Mulch
☑ None
☐ Fiber

Grazing
☐ Wildlife
☐ Livestock
☐ Both

Severity
☑ None 0-5%
☐ Low 5-40%
☐ Moderate 40-60%
☐ Heavy 60-100%

SURFACE STABILITY EVALUATION

Date 10/2/13 Data Collector(s) PETE STROM

Site Data

Location Name: PLOT 3		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments:		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	Y	3	14
Surface Litter	Y	1	14
Surface Rock Fragments	Y	1	14
Pedestals	Y	0	14
Flow Patterns	Y	0	15
Rills	Y	0	14
Gullies	Y	0	15
TOTAL		3	100

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class: 3% 1-20% Stable

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

VERY LITTLE MOVEMENT, CONSIDERABLE PRECIP OVER THE WEEKEND.

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 11/10/13 Data Collector(s) P. STROUD

Site Data

Location Name: PLOT 1		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments: SITE FROZEN & SNOW COVERED		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	N/A	N/A	14
Surface Litter			14
Surface Rock Fragments			14
Pedestals			14
Flow Patterns			15
Rills			14
Gullies			15
TOTAL			

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class:

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 11/10/13 Data Collector(s) P. STROH

Site Data

Location Name: PLOT 2		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments: SITE FROZEN & SNOW COVERED		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	N/A	N/A	14
Surface Litter			14
Surface Rock Fragments			14
Pedestals			14
Flow Patterns			15
Rills			14
Gullies			15
TOTAL			

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class:

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC

SURFACE STABILITY EVALUATION

Date 11/10/13 Data Collector(s) P. STROM

Site Data

Location Name: PLOT 3		Photographs taken: (Y) N (circle one)
Aspect:	Slope (degree):	Photograph notes:
Comments: SITE FROZEN & SNOW COVERED		

Site Stabilization Data

EROSION FEATURE	POTENTIALLY PRESENT (Yes or No)	IDENTIFIED FACTORS	POSSIBLE FACTOR
Soil Movement	N/A	N/A	14
Surface Litter			14
Surface Rock Fragments			14
Pedestals			14
Flow Patterns			15
Rills			14
Gullies			15
TOTAL			

Procedure: (refer to Erosion Condition Classification System publication if needed)

1) Observe the total sample area and determine the average condition.
2) Determine if each item is potentially present. Only the potentially present items will be considered in the total calculation (cross out pre-entered possible factor # if it is not potentially present).
3) For items potentially present, review the Erosion Condition Class (Soil Surface Factor) sheet and assign a numerical value to each erosion feature.
4) Total both the weighted values and the possible values.
5) Calculate the Total percent SSF: (identified factors / possible factors) x 100
6) Write the total percent and corresponding condition class in the box below.

SSF Range	Class
1-20%	Stable
21-40%	Slight
41-60%	Moderate
61-80%	Critical
81-100%	Severe

SSF % and Class:

Comments (when applicable, include information on width, depth, uniformity, number per m^2 or height):

KC HARVEY ENVIRONMENTAL, LLC