
Fish Tissue Values over time for Antimony (mg/kg)
Antimony (mg/kg)
0.25
0.2
0.15
0.1
0.05
0
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Antimony, mg/kg
SW12F09 Antimony, mg/kg
SW12F08 Antimony, mg/kg
SW12F07 Antimony, mg/kg
SW12F06 Antimony, mg/kg
SW12F05 Antimony, mg/kg
SW12F04 Antimony, mg/kg
SW12F03 Antimony, mg/kg
SW12F02 Antimony, mg/kg
Chinook Downstream
SW01F10 Antimony, mg/kg
SW01F09 Antimony, mg/kg
SW01F08 Antimony, mg/kg
SW01F07 Antimony, mg/kg
SW01F06 Antimony, mg/kg


Fish Tissue Values over time for Arsenic (mg/kg)
Arsenic (mg/kg)
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Arsenic, mg/kg
SW12F09 Arsenic, mg/kg
SW12F08 Arsenic, mg/kg
SW12F07 Arsenic, mg/kg
SW12F06 Arsenic, mg/kg
SW12F05 Arsenic, mg/kg
SW12F04 Arsenic, mg/kg
SW12F03 Arsenic, mg/kg
SW12F02 Arsenic, mg/kg
Chinook Downstream
SW01F10 Arsenic, mg/kg
SW01F09 Arsenic, mg/kg
SW01F08 Arsenic, mg/kg
SW01F07 Arsenic, mg/kg
SW01F06 Arsenic, mg/kg


Fish Tissue Values over time for Cadmium (mg/kg)
Cadmium (mg/kg)
0.12
0.1
0.08
0.06
0.04
0.02
0
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Cadmium, mg/kg
SW12F09 Cadmium, mg/kg
SW12F08 Cadmium, mg/kg
SW12F07 Cadmium, mg/kg
SW12F06 Cadmium, mg/kg
SW12F05 Cadmium, mg/kg
SW12F04 Cadmium, mg/kg
SW12F03 Cadmium, mg/kg
SW12F02 Cadmium, mg/kg
SW12F01 Cadmium, mg/kg
SW01F10 Cadmium, mg/kg
SW01F09 Cadmium, mg/kg
SW01F08 Cadmium, mg/kg
SW01F07 Cadmium, mg/kg
SW01F06 Cadmium, mg/kg


Fish Tissue Values over time for Copper (mg/kg)
Copper (mg/kg)
0
1
2
3
4
5
6
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Copper, mg/kg
SW12F09 Copper, mg/kg
SW12F08 Copper, mg/kg
SW12F07 Copper, mg/kg
SW12F06 Copper, mg/kg
SW12F05 Copper, mg/kg
SW12F04 Copper, mg/kg
SW12F03 Copper, mg/kg
SW12F02 Copper, mg/kg
SW12F01 Copper, mg/kg
SW01F10 Copper, mg/kg
SW01F09 Copper, mg/kg
SW01F08 Copper, mg/kg
SW01F07 Copper, mg/kg
SW01F06 Copper, mg/kg


Fish Tissue Values over time for Lead (mg/kg)
Lead (mg/kg)
0
0.05
0.1
0.15
0.2
0.25
0.3
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Lead, mg/kg
SW12F09 Lead, mg/kg
SW12F08 Lead, mg/kg
SW12F07 Lead, mg/kg
SW12F06 Lead, mg/kg
SW12F05 Lead, mg/kg
SW12F04 Lead, mg/kg
SW12F03 Lead, mg/kg
SW12F02 Lead, mg/kg
SW12F01 Lead, mg/kg
SW01F10 Lead, mg/kg
SW01F09 Lead, mg/kg
SW01F08 Lead, mg/kg
SW01F07 Lead, mg/kg
SW01F06 Lead, mg/kg


Fish Tissue Values over time for Mercury (mg/kg)
Mercury (mg/kg)
0
0.2
0.4
0.6
0.8
1
1.2
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Mercury, mg/kg
SW12F09 Mercury, mg/kg
SW12F08 Mercury, mg/kg
SW12F07 Mercury, mg/kg
SW12F06 Mercury, mg/kg
SW12F05 Mercury, mg/kg
SW12F04 Mercury, mg/kg
SW12F03 Mercury, mg/kg
SW12F02 Mercury, mg/kg
SW12F01 Mercury, mg/kg
SW01F10 Mercury, mg/kg
SW01F09 Mercury, mg/kg
SW01F08 Mercury, mg/kg
SW01F07 Mercury, mg/kg
SW01F06 Mercury, mg/kg


Fish Tissue Values over time for Nickel (mg/kg)
Nickel (mg/kg)
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Nickel, mg/kg
SW12F09 Nickel, mg/kg
SW12F08 Nickel, mg/kg
SW12F07 Nickel, mg/kg
SW12F06 Nickel, mg/kg
SW12F05 Nickel, mg/kg
SW12F04 Nickel, mg/kg
SW12F03 Nickel, mg/kg
SW12F02 Nickel, mg/kg
SW12F01 Nickel, mg/kg
SW01F10 Nickel, mg/kg
SW01F09 Nickel, mg/kg
SW01F08 Nickel, mg/kg
SW01F07 Nickel, mg/kg
SW01F06 Nickel, mg/kg


Fish Tissue Values over time for Selenium (mg/kg)
Selenium (mg/kg)
3.5
3
2.5
2
1.5
1
0.5
0
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Selenium, mg/kg
SW12F09 Selenium, mg/kg
SW12F08 Selenium, mg/kg
SW12F07 Selenium, mg/kg
SW12F06 Selenium, mg/kg
SW12F05 Selenium, mg/kg
SW12F04 Selenium, mg/kg
SW12F03 Selenium, mg/kg
SW12F02 Selenium, mg/kg
SW12F01 Selenium, mg/kg
SW01F10 Selenium, mg/kg
SW01F09 Selenium, mg/kg
SW01F08 Selenium, mg/kg
SW01F07 Selenium, mg/kg
SW01F06 Selenium, mg/kg


Fish Tissue Values over time for Silver (mg/kg)
Silver (mg/kg)
0.06
0.05
0.04
0.03
0.02
0.01
0
Feb- 2003
Feb- 2004
Feb- 2005
Feb- 2006
Feb- 2007
Feb- 2008
Feb- 2009
Feb- 2010
Feb- 2011
Feb- 2012
Feb- 2013
Feb- 2014
Feb- 2015
Feb- 2016
SW12F10 Silver, mg/kg
SW12F09 Silver, mg/kg
SW12F08 Silver, mg/kg
SW12F07 Silver, mg/kg
SW12F06 Silver, mg/kg
SW12F05 Silver, mg/kg
SW12F04 Silver, mg/kg
SW12F03 Silver, mg/kg
SW12F02 Silver, mg/kg
SW12F01 Silver, mg/kg
SW01F10 Silver, mg/kg
SW01F09 Silver, mg/kg
SW01F08 Silver, mg/kg
SW01F07 Silver, mg/kg
SW01F06 Silver, mg/kg


Values over time for Arsenic, total (ug/L)
Arsenic, total (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Arsenic, Total (ug/l as As)
LL04-031 Arsenic, Total (ug/l as As)


Values over time for Cadmium, total (ug/L)
(Cadmium is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Cadmium, total (ug/L)
0.045
0.04
0.035
0.03
0.025
0.02
0.015
0.01
0.005
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Cadmium, Total (ug/l as Cd)
LL04-031 Cadmium, Total (ug/l as Cd)


Values over time for Copper, total (ug/L)
Copper is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Copper, total (ug/L)
3.5
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Copper, Total (ug/l as Cu)
LL04-031 Copper, Total (ug/l as Cu)


Values over time for Cyanide WAD (ug/L)
Cyanide WAD (ug/L)
4.5
4
3.5
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Weak Acid Dissociable Cyanide, ug/l
LL04-031 Weak Acid Dissociable Cyanide, ug/l


Values over time for Hardness (CaCO3) (mg/L)
Hardness (CaCO3) (mg/L)
140
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Hardness, Total (mg/l as CaCO3)
LL04-031 Hardness, Total (mg/l as CaCO3)


Values over time for Lead, total (ug/L)
(Lead is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Lead, total (ug/L)
0.45
0.4
0.35
0.3
0.25
0.2
0.15
0.1
0.05
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Lead, Total (ug/l as Pb)
LL04-031 Lead, Total (ug/l as Pb)


Values over time for Manganese, total (ug/L)
Manganese, total (ug/L)
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Manganese, Total (ug/l as Mn)
LL04-031 Manganese, Total (ug/l as Mn)


Values over time for Mercury, total (ug/L)
Mercury, total (ug/L)
0.0035
0.003
0.0025
0.002
0.0015
0.001
0.0005
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Mercury, Total (ug/l as Hg)
LL04-031 Mercury, Total (ug/l as Hg)


Values over time fo pH, field (pH units)
pH, field (pH units)
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 pH, Field, Standard Units
LL04-031 pH, Field, Standard Units


Values over time for Sulfate (mg/L)
Sulfate (mg/L)
80
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Sulfate, Total (mg/l as SO4)
LL04-031 Sulfate, Total (mg/l as SO4)


Values over time for Total Dissolved Solids (TDS) (mg/L)
TDS (mg/L)
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
LL04-031 TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for Zinc, total (ug/L)
(Zinc is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Zinc, total (ug/L)
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
LL04-032 Zinc, Total (ug/l as Zn)
LL04-031 Zinc, Total (ug/l as Zn)


Values over time for Antimony, dissolved (ug/L)
Antimony, dissolved (ug/L)
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Antimony, Dissolved (ug/l as Sb)
Ground Water Quality Standards Limit Antimony, Dissolved (ug/l as Sb)
MW11-001B Antimony, Total (ug/l as Sb)
MW11-001A Antimony, Dissolved (ug/l as Sb)
MW11-001A Antimony, Total (ug/l as Sb)


Values over time for Arsenic, dissolved (ug/L)
Arsenic, dissolved (ug/L)
45
40
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Arsenic, Dissolved (ug/l as As)
MW11-001A Arsenic, Dissolved (ug/l as As)
Ground Water Quality Standards Limit Arsenic, Dissolved (ug/l as As)


Values over time for Cadmium, dissolved (ug/L)
(Cadmium is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Cadmium, dissolved (ug/L)
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Cadmium, Dissolved (ug/l as Cd)
MW11-001A Cadmium, Dissolved (ug/l as Cd)
Ground Water Quality Standards Limit Cadmium, Dissolved (ug/l as Cd)


Values over time for Chloride (mg/L)
Chloride (mg/L)
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Chloride,Total in Water mg/l
MW11-001A Chloride,Total in Water mg/l
Ground Water Quality Standards Limit Chloride,Total in Water mg/l


Values over time for Chromium, dissolved (ug/L)
Chromium, dissloved (ug/L)
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Chromium, Dissolved (ug/l as Cr)
MW11-001A Chromium, Dissolved (ug/l as Cr)
MW11-001A Chromium, Total (ug/l as Cr)
MW11-001B Chromium, Total (ug/l as Cr)
Ground Water Quality Standards Limit Chromium, Dissolved (ug/l as Cr)


Values over time for Copper, dissolved (ug/L)
(Copper is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Copper, dissolved (ug/L)
14
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Copper, Dissolved (ug/l as Cu)
MW11-001A Copper, Dissolved (ug/l as Cu)
Ground Water Quality Standards Limit Copper, Dissolved (ug/l as Cu)


Values over time for Cyanide WAD (ug/L)
Cyanide WAD (ug/L)
0
1
2
3
4
5
6
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Weak Acid Dissociable Cyanide, ug/l
MW11-001A Weak Acid Dissociable Cyanide, ug/l
Ground Water Quality Standards Limit Weak Acid Dissociable Cyanide, ug/l


Values over time for Hardness (CaCO3) (mg/L)
Hardness (CaCO3) (mg/L)
0
100
200
300
400
500
600
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Hardness, Total (mg/l as CaCO3)
MW11-001A Hardness, Total (mg/l as CaCO3)


Values over time for Iron, dissolved (ug/L)
Iron, dissolved (ug/L)
0
200
400
600
800
1000
1200
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Iron, Dissolved (ug/l as Fe)
MW11-001A Iron, Dissolved (ug/l as Fe)
Ground Water Quality Standards Limit Iron, Dissolved (ug/l as Fe)


Values over time for Lead, dissolved (ug/L)
(Lead is hardness dependant. For graphing purposes, the lowest hardness value in the data set was used for the WQS.)
Lead, dissolved (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Lead, Dissolved (ug/l as Pb)
MW11-001A Lead, Dissolved (ug/l as Pb)
Ground Water Quality Standards Limit Lead, Dissolved (ug/l as Pb)


Values over time for Manganese, dissolved (ug/L)
Manganese, dissolved (ug/L)
1200
1000
800
600
400
200
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Manganese, Dissolved (ug/l as Mn)
MW11-001A Manganese, Dissolved (ug/l as Mn)
Ground Water Quality Standards Limit Manganese, Dissolved (ug/l as Mn)


Values over time for Mercury, dissolved (ug/L)
Mercury, dissolved (ug/L)
0.06
0.05
0.04
0.03
0.02
0.01
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Mercury, Dissolved (ug/l as Hg)
MW11-001B Mercury, Total (ug/l as Hg)
MW11-001A Mercury, Dissolved (ug/l as Hg)
Ground Water Quality Standards Limit Mercury, Dissolved (ug/l as Hg)
MW11-001A Mercury, Total (ug/l as Hg)


Values over time for Nickel, dissolved (ug/L)
(Nickel is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Nickel, dissolved (ug/L)
18
16
14
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Nickel, Dissolved (ug/l as Ni)
MW11-001A Nickel, Dissolved (ug/l as Ni)
Ground Water Quality Standards Limit Nickel, Dissolved (ug/l as Ni)


Values over time for Nitrate, total (mg/L)
(Nitrate-Nitrite as Nitrogen)
Nitrate, total (mg/L)
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Nitrite plus Nitrate, Total (mg/l as N)
MW11-001A Nitrite plus Nitrate, Total (mg/l as N)
Ground Water Quality Standards Limit Nitrite plus Nitrate, Total (mg/l as N)


Values over time for pH, field (pH units)
pH, field (pH units)
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B pH, Field, Standard Units
MW11-001A pH, Field, Standard Units
Ground Water Quality Standards Limit pH, Field, Standard Units
Ground Water Quality Standards Upper Limit pH, Field, Standard Units


Values over time for Selenium, dissolved (ug/L)
Selenium, dissolved (ug/L)
5
4.5
4
3.5
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Selenium, Dissolved (ug/l as Se)
MW11-001A Selenium, Dissolved (ug/l as Se)
Ground Water Quality Standards Limit Selenium, Dissolved (ug/l as Se)


Values over time for Silver, dissolved (ug/L)
Silver, dissolved (ug/L)
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Silver, Dissolved (ug/l as Ag)
MW11-001A Silver, Dissolved (ug/l as Ag)
Ground Water Quality Standards Limit Silver, Dissolved (ug/l as Ag)


Values over time for Sulfate (mg/L)
Sulfate (mg/L)
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Sulfate, Total (mg/l as SO4)
MW11-001A Sulfate, Total (mg/l as SO4)
Ground Water Quality Standards Limit Sulfate, Total (mg/l as SO4)


Values over time for Total Dissolved Solids (TDS) (mg/L)
TDS (mg/L)
900
800
700
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B TDS, Residue,Total Filtrable (Dried At 180C),mg/l
MW11-001A TDS, Residue,Total Filtrable (Dried At 180C),mg/l
Ground Water Quality Standards Limit TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for Total Nitrogen (TKN) (mg/L)
Total Nitrogen (TKN) (mg/L)
3.5
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Total Kjeldahl Nitrogen, mg/l as N
MW11-001A Total Kjeldahl Nitrogen, mg/l as N


Values over time for Zinc, dissolved (ug/L)
(Zinc is hardness dependant. For graphing purposed, the lowest value in the data set was used for the WQS.)
Zinc, dissolved (ug/L)
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW11-001B Zinc, Dissolved (ug/l as Zn)
MW11-001A Zinc, Dissolved (ug/l as Zn)
Ground Water Quality Standards Limit Zinc, Dissolved (ug/l as Zn)


Values over time for Antimony, dissolved (ug/L)
Antimony, dissolved (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Antimony, Dissolved (ug/l as Sb)
MW12-001B Antimony, Dissolved (ug/l as Sb)


Values over time for Arsenic, dissolved (ug/L)
Arsenic, dissolved (ug/L)
70
60
50
40
30
20
10
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Arsenic, Dissolved (ug/l as As)
MW12-001B Arsenic, Dissolved (ug/l as As)


Values over time for Cadmium, dissovled (ug/L)
(Cadmium is hardness dependant. For graphing purposed, the lowest value in the data set was used for the
Cadmium, dissolved (ug/L)
0.3
0.25
0.2
0.15
0.1
0.05
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Cadmium, Dissolved (ug/l as Cd)
MW12-001B Cadmium, Dissolved (ug/l as Cd)


Values over time for Chloride (mg/L)
Chloride (mg/L)
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Chloride,Total in Water mg/l
MW12-001B Chloride,Total in Water mg/l


Values over time for Chromium, dissolved (ug/L)
Chromium, dissolved (ug/L)
25
20
15
10
5
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Chromium, Dissolved (ug/l as Cr)
MW12-001B Chromium, Dissolved (ug/l as Cr)


Values over time for Copper, dissolved (ug/L)
(Copper is hardness dependant. For graphing purposed, the lowest value in the data set was used for the WQS.)
Copper, dissolved (ug/L)
14
12
10
8
6
4
2
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Copper, Dissolved (ug/l as Cu)
MW12-001B Copper, Dissolved (ug/l as Cu)


Values over time for Cyande WAD (ug/L)
Cyanide WAD (ug/L)
0
1
2
3
4
5
6
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Weak Acid Dissociable Cyanide, ug/l
MW12-001B Weak Acid Dissociable Cyanide, ug/l


Values over time for Hardness (CaCO3) (mg/L)
Hardness (CaCO3) (mg/L)
0
20
40
60
80
100
120
140
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Hardness, Total (mg/l as CaCO3)
MW12-001B Hardness, Total (mg/l as CaCO3)


Values over time for Iron, dissolved (ug/L)
Iron, dissolved (ug/L)
0
5000
10000
15000
20000
25000
30000
35000
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Iron, Dissolved (ug/l as Fe)
MW12-001B Iron, Dissolved (ug/l as Fe)


Values over time for Lead, dissolved (ug/L)
(Lead is hardness dependant. For graphing purposed, the lowest value in the data set was used for the WQS.)
Lead, dissolved (ug/L)
30
25
20
15
10
5
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Lead, Dissolved (ug/l as Pb)
MW12-001B Lead, Dissolved (ug/l as Pb)


Values over time for Manganese, dissolved (ug/L)
Manganese, dissolved (ug/L)
2000
1800
1600
1400
1200
1000
800
600
400
200
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Manganese, Dissolved (ug/l as Mn)
MW12-001B Manganese, Dissolved (ug/l as Mn)


Values over time for Mercury, dissolved (ug/L)
Mercury, dissolved (ug/L)
0.016
0.014
0.012
0.01
0.008
0.006
0.004
0.002
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Mercury, Dissolved (ug/l as Hg)
MW12-001B Mercury, Dissolved (ug/l as Hg)


Values over time for Nickel, dissolved (ug/L)
(Nickel is hardness dependant. For graphing purposed, the lowest value in the data set was used for the WQS.)
Nickel, dissolved (ug/L)
45
40
35
30
25
20
15
10
5
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Nickel, Dissolved (ug/l as Ni)
MW12-001B Nickel, Dissolved (ug/l as Ni)


Values over time for Nitrate, total (mg/L)
(Nitrite-Nitrate as Nitrogen)
Nitrate, total (mg/L)
4
3.5
3
2.5
2
1.5
1
0.5
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Nitrite plus Nitrate, Total (mg/l as N)
MW12-001B Nitrite plus Nitrate, Total (mg/l as N)


Values over time for pH, field (pH units)
pH, field (pH units)
9
8
7
6
5
4
3
2
1
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A pH, Field, Standard Units
MW12-001B pH, Field, Standard Units


Values over time for Selenium, dissolved (ug/L)
Selenium, dissolved (ug/L)
3
2.5
2
1.5
1
0.5
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Selenium, Dissolved (ug/l as Se)
MW12-001B Selenium, Dissolved (ug/l as Se)


Values over time for Silver, dissolved (ug/L)
Silver, dissolved (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Silver, Dissolved (ug/l as Ag)
MW12-001B Silver, Dissolved (ug/l as Ag)


Values over time for Sulfate (mg/L)
Sulfate (mg/L)
45
40
35
30
25
20
15
10
5
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Sulfate, Total (mg/l as SO4)
MW12-001B Sulfate, Total (mg/l as SO4)


Values over time for Total Dissolved Solids (TDS) (mg/L)
TDS (mg/L)
200
180
160
140
120
100
80
60
40
20
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A TDS, Residue,Total Filtrable (Dried At 180C),mg/l
MW12-001B TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for Total Kjeldahl Nitrogen (TKN) (mg/L)
TKN (mg/L)
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Total Kjeldahl Nitrogen, mg/l as N
MW12-001B Total Kjeldahl Nitrogen, mg/l as N


Values over time for Zinc, dissolved (ug/L)
(Zinc is hardness dependant. For graphing purposed, the lowest value in the data set was used for the WQS.)
Zinc, dissolved (ug/L)
800
700
600
500
400
300
200
100
0
Jun- 2012
Nov- 2012
May- 2013
Nov- 2013
May- 2014
Nov- 2014
May- 2015
Nov- 2015
May- 2016
Nov- 2016
MW12-001A Zinc, Dissolved (ug/l as Zn)
MW12-001B Zinc, Dissolved (ug/l as Zn)


Values over time for Antimony, dissolved (ug/L)
Antimony, dissolved (ug/L)
1
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-500 Antimony, Dissolved (ug/l as Sb)
MW12-500 Antimony, Dissolved (ug/l as Sb)
ADEC SeepageTriggers Limit Antimony, Dissolved (ug/l as Sb)


Values over time for Arsenic, dissolved (ug/L)
Arsenic, dissolved (ug/L)
100
90
80
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-500 Arsenic, Dissolved (ug/l as As)
MW12-500 Arsenic, Dissolved (ug/l as As)
ADEC SeepageTriggers Limit Arsenic, Dissolved (ug/l as As)


Values over time for Chloride (mg/L)
Chloride (mg/L)
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-500 Chloride,Total in Water mg/l
MW12-500 Chloride,Total in Water mg/l
ADEC SeepageTriggers Limit Chloride,Total in Water mg/l


Values over time for Cyanide WAD (ug/L)


Cyanide WAD (ug/L)
0
1
2
3
4
5
6
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-500 Weak Acid Dissociable Cyanide, ug/l
MW12-500 Weak Acid Dissociable Cyanide, ug/l
ADEC SeepageTriggers Limit Weak Acid Dissociable Cyanide, ug/l


Values over time for Nitrate, total (mg/L)
Nitrate, total (mg/L)
0
5
10
15
20
25
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-500 Nitrite plus Nitrate, Total (mg/l as N)
MW12-500 Nitrite plus Nitrate, Total (mg/l as N)
ADEC SeepageTriggers Limit Nitrite plus Nitrate, Total (mg/l as N)


Values over time for Potassium, dissolved (mg/L)
Potassium, dissolved (mg/L)
0
1
2
3
4
5
6
7
8
9
10
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-500 Potassium, Dissolved (mg/l as K)
MW12-500 Potassium, Dissolved (mg/l as K)
ADEC SeepageTriggers Limit Potassium, Dissolved (mg/l as K)


Values over time for Selenium, dissolved (ug/L)
Selenium, dissolved (ug/L)
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-500 Selenium, Dissolved (ug/l as Se)
MW12-500 Selenium, Dissolved (ug/l as Se)
ADEC SeepageTriggers Limit Selenium, Dissolved (ug/l as Se)


Values over time for Sodium, dissolved (mg/L)
Sodium, dissolved (mg/L)
15
13
11
9
7
5
3
1
-1
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-500 Sodium, Dissolved (mg/l as Na)
MW12-500 Sodium, Dissolved (mg/l as Na)
ADEC SeepageTriggers Limit Sodium, Dissolved (mg/l as Na)


Values over time for Antimony, dissolved (ug/L)
Antimony, dissolved (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Antimony, Dissolved (ug/l as Sb)
MW12-501 Antimony, Dissolved (ug/l as Sb)
ADEC SeepageTriggers Limit Antimony, Dissolved (ug/l as Sb)


Values over time for Arsenic, dissolved (ug/L)
Arsenic, dissolved (ug/L)
50
45
40
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Arsenic, Dissolved (ug/l as As)
MW12-501 Arsenic, Dissolved (ug/l as As)
ADEC SeepageTriggers Limit Arsenic, Dissolved (ug/l as As)


Values over time for Chloride (mg/L)
Chloride (mg/L)
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Chloride,Total in Water mg/l
MW12-501 Chloride,Total in Water mg/l
ADEC SeepageTriggers Limit Chloride,Total in Water mg/l


Values over time for Cyanide WAD (ug/L)
Cyanide WAD (ug/L)
0
1
2
3
4
5
6
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Weak Acid Dissociable Cyanide, ug/l
MW12-501 Weak Acid Dissociable Cyanide, ug/l
ADEC SeepageTriggers Limit Weak Acid Dissociable Cyanide, ug/l


Values over time for Nitrate (mg/L)
Nitrate, total (mg/L)
0
5
10
15
20
25
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Nitrite plus Nitrate, Total (mg/l as N)
MW12-501 Nitrite plus Nitrate, Total (mg/l as N)
ADEC SeepageTriggers Limit Nitrite plus Nitrate, Total (mg/l as N)


Values over time for Potassium, dissolved (mg/L)
Potassium, dissolved (mg/L)
0
0.5
1
1.5
2
2.5
3
3.5
4
4.5
5
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Potassium, Dissolved (mg/l as K)
MW12-501 Potassium, Dissolved (mg/l as K)
ADEC SeepageTriggers Limit Potassium, Dissolved (mg/l as K)


Values over time for Selenium, dissolved (ug/L)
Selenium, dissolved (ug/L)
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Selenium, Dissolved (ug/l as Se)
MW12-501 Selenium, Dissolved (ug/l as Se)
ADEC SeepageTriggers Limit Selenium, Dissolved (ug/l as Se)


Values over time for Sodium, dissolved (mg/L)
Sodium, dissolved (mg/L)
14
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Sodium, Dissolved (mg/l as Na)
MW12-501 Sodium, Dissolved (mg/l as Na)
ADEC SeepageTriggers Limit Sodium, Dissolved (mg/l as Na)


Values over time for Antimony, dissolved (ug/L)
Antimony, dissolved (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-502 Antimony, Dissolved (ug/l as Sb)
MW12-502 Antimony, Dissolved (ug/l as Sb)
ADEC SeepageTriggers Limit Antimony, Dissolved (ug/l as Sb)


Values over time for Arsenic, dissolved (ug/L)
Arsenic, dissolved (ug/L)
50
45
40
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-502 Arsenic, Dissolved (ug/l as As)
MW12-502 Arsenic, Dissolved (ug/l as As)
ADEC SeepageTriggers Limit Arsenic, Dissolved (ug/l as As)


Values over time for Chloride (mg/L)
Chloride (mg/L)
4
3.5
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-502 Chloride,Total in Water mg/l
MW12-502 Chloride,Total in Water mg/l
ADEC SeepageTriggers Limit Chloride,Total in Water mg/l


Values over time for Cyanide WAD (ug/L)
Cyanide WAD (ug/L)
0
1
2
3
4
5
6
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-502 Weak Acid Dissociable Cyanide, ug/l
MW12-502 Weak Acid Dissociable Cyanide, ug/l
ADEC SeepageTriggers Limit Weak Acid Dissociable Cyanide, ug/l


Values over time for Nitrate, total (mg/L)
Nitrate, total (mg/L)
0
5
10
15
20
25
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-502 Nitrite plus Nitrate, Total (mg/l as N)
MW12-502 Nitrite plus Nitrate, Total (mg/l as N)
ADEC SeepageTriggers Limit Nitrite plus Nitrate, Total (mg/l as N)


Values over time for Potassium, dissolved (mg/L)
Potassium, dissolved (mg/L)
0
1
2
3
4
5
6
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-502 Potassium, Dissolved (mg/l as K)
MW12-502 Potassium, Dissolved (mg/l as K)
ADEC SeepageTriggers Limit Potassium, Dissolved (mg/l as K)


Values over time for Selenium, dissolved (ug/L)
Selenium, dissolved (ug/L)
1.8
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-502 Selenium, Dissolved (ug/l as Se)
MW12-502 Selenium, Dissolved (ug/l as Se)
ADEC SeepageTriggers Limit Selenium, Dissolved (ug/l as Se)


Values over time for Sodium, dissolved (mg/L)
Sodium, dissolved (mg/L)
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-502 Sodium, Dissolved (mg/l as Na)
MW12-502 Sodium, Dissolved (mg/l as Na)
ADEC SeepageTriggers Limit Sodium, Dissolved (mg/l as Na)


Values over time for Cadmium, dissolved (ug/L)
(Cadmium is hardness dependant. For graphing purposes, the lowest value in the data series was used for the WQS.)
Cadmium, dissolved (ug/L)
0.2
0.18
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Cadmium, Dissolved (ug/l as Cd)
MW03-500 Cadmium, Dissolved (ug/l as Cd)
MW03-502 Cadmium, Dissolved (ug/l as Cd)
MW12-500 Cadmium, Dissolved (ug/l as Cd)
Ground Water Quality Standards Limit Cadmium, Dissolved (ug/l as Cd)
MW12-501 Cadmium, Dissolved (ug/l as Cd)


Values over time for Chromium, dissolved (ug/L)
Chromium, dissolved (ug/L)
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Chromium, Dissolved (ug/l as Cr)
MW03-500 Chromium, Dissolved (ug/l as Cr)
MW03-502 Chromium, Dissolved (ug/l as Cr)
MW12-500 Chromium, Dissolved (ug/l as Cr)
MW12-501 Chromium, Dissolved (ug/l as Cr)
MW12-502 Chromium, Dissolved (ug/l as Cr)
Ground Water Quality Standards Limit Chromium, Dissolved (ug/l as Cr)


Values over time for Copper, dissolved (ug/L)
(Copper is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Copper, dissolved (ug/L)
10
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Copper, Dissolved (ug/l as Cu)
MW03-500 Copper, Dissolved (ug/l as Cu)
MW03-502 Copper, Dissolved (ug/l as Cu)
MW12-500 Copper, Dissolved (ug/l as Cu)
Ground Water Quality Standards Limit Copper, Dissolved (ug/l as Cu)
MW12-501 Copper, Dissolved (ug/l as Cu)


Values over time for Hardness (CaCO3) (mg/L)
Hardness (CaCO3) (mg/L)
1800
1600
1400
1200
1000
800
600
400
200
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Hardness, Total (mg/l as CaCO3)
MW03-500 Hardness, Total (mg/l as CaCO3)
MW03-502 Hardness, Total (mg/l as CaCO3)
MW12-500 Hardness, Total (mg/l as CaCO3)
MW12-501 Hardness, Total (mg/l as CaCO3)
MW12-502 Hardness, Total (mg/l as CaCO3)


Values over time for Iron, dissolved (ug/L)
Iron, dissolved (ug/L)
2000
1800
1600
1400
1200
1000
800
600
400
200
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Iron, Dissolved (ug/l as Fe)
MW03-500 Iron, Dissolved (ug/l as Fe)
MW03-502 Iron, Dissolved (ug/l as Fe)
MW12-500 Iron, Dissolved (ug/l as Fe)
Ground Water Quality Standards Limit Iron, Dissolved (ug/l as Fe)
MW12-501 Iron, Dissolved (ug/l as Fe)


Values over time for Lead, disolved (ug/L)
(Lead is hardness dependant. For graphing purposes, the lowest value in the data series was used for the WQS .)
Lead, dissolved (ug/L)
1
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Lead, Dissolved (ug/l as Pb)
MW03-500 Lead, Dissolved (ug/l as Pb)
MW03-502 Lead, Dissolved (ug/l as Pb)
MW12-500 Lead, Dissolved (ug/l as Pb)
Ground Water Quality Standards Limit Lead, Dissolved (ug/l as Pb)
MW12-501 Lead, Dissolved (ug/l as Pb)


Values over time for Manganese, dissolved (ug/L)
Manganese, dissolved (ug/L)
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Manganese, Dissolved (ug/l as Mn)
MW03-500 Manganese, Dissolved (ug/l as Mn)
MW03-502 Manganese, Dissolved (ug/l as Mn)
MW12-500 Manganese, Dissolved (ug/l as Mn)
MW12-501 Manganese, Dissolved (ug/l as Mn)
MW12-502 Manganese, Dissolved (ug/l as Mn)
Ground Water Quality Standards Limit Manganese, Dissolved (ug/l as Mn)


Values over time for Mercury, dissolved (ug/L)
Mercury, dissolved (ug/L)
0.06
0.05
0.04
0.03
0.02
0.01
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Mercury, Dissolved (ug/l as Hg)
MW03-501 Mercury, Total (ug/l as Hg)
MW03-500 Mercury, Dissolved (ug/l as Hg)
MW03-500 Mercury, Total (ug/l as Hg)
MW03-502 Mercury, Dissolved (ug/l as Hg)
MW03-502 Mercury, Total (ug/l as Hg)
MW12-500 Mercury, Dissolved (ug/l as Hg)
MW12-500 Mercury, Total (ug/l as Hg)
MW12-501 Mercury, Dissolved (ug/l as Hg)
Ground Water Quality Standards Limit Mercury, Dissolved (ug/l as Hg)
MW12-501 Mercury, Total (ug/l as Hg)
MW12-502 Mercury, Dissolved (ug/l as Hg)
MW12-502 Mercury, Total (ug/l as Hg)


Values over time for Nickel, dissolved (ug/L)
(Nickel is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Nickel, dissolved (ug/L)
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Nickel, Dissolved (ug/l as Ni)
MW03-500 Nickel, Dissolved (ug/l as Ni)
MW03-502 Nickel, Dissolved (ug/l as Ni)
MW12-500 Nickel, Dissolved (ug/l as Ni)
MW12-501 Nickel, Dissolved (ug/l as Ni)
MW12-502 Nickel, Dissolved (ug/l as Ni)
Ground Water Quality Standards Limit Nickel, Dissolved (ug/l as Ni)


Values over time for pH, field (pH units)
pH, field, (pH units)
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 pH, Field, Standard Units
MW03-500 pH, Field, Standard Units
MW03-502 pH, Field, Standard Units
MW12-500 pH, Field, Standard Units
MW12-501 pH, Field, Standard Units
MW12-502 pH, Field, Standard Units
Ground Water Quality Standards Limit pH, Field, Standard Units
Ground Water Quality Standards Upper Limit pH, Field, Standard Units


Values over time for Silver, dissolved (ug/L)
Silver, dissolved (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Silver, Dissolved (ug/l as Ag)
MW03-500 Silver, Dissolved (ug/l as Ag)
MW03-502 Silver, Dissolved (ug/l as Ag)
MW12-500 Silver, Dissolved (ug/l as Ag)
Ground Water Quality Standards Limit Silver, Dissolved (ug/l as Ag)
MW12-501 Silver, Dissolved (ug/l as Ag)


Values over time for Sulfate, total (mg/L)
Sulfate, total (mg/L)
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Sulfate, Total (mg/l as SO4)
MW03-500 Sulfate, Total (mg/l as SO4)
MW03-502 Sulfate, Total (mg/l as SO4)
MW12-500 Sulfate, Total (mg/l as SO4)
MW12-501 Sulfate, Total (mg/l as SO4)
MW12-502 Sulfate, Total (mg/l as SO4)
Ground Water Quality Standards Limit Sulfate, Total (mg/l as SO4)


Values over time for Total Dissolved Solids (TDS) (mg/L)
TDS (mg/L)
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
MW03-500 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
MW03-502 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
MW12-500 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
MW12-501 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
MW12-502 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
Ground Water Quality Standards Limit TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for Total Kjdeldahl Nitorgen (TKN) (mg/L)
TKN (mg/L)
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Total Kjeldahl Nitrogen, mg/l as N
MW03-500 Total Kjeldahl Nitrogen, mg/l as N
MW03-502 Total Kjeldahl Nitrogen, mg/l as N
MW12-500 Total Kjeldahl Nitrogen, mg/l as N
MW12-501 Total Kjeldahl Nitrogen, mg/l as N
MW12-502 Total Kjeldahl Nitrogen, mg/l as N


Values over time for Zinc, dissolved (ug/L)
(Zinc is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Zinc, dissolved (ug/L)
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
MW03-501 Zinc, Dissolved (ug/l as Zn)
MW03-500 Zinc, Dissolved (ug/l as Zn)
MW03-502 Zinc, Dissolved (ug/l as Zn)
MW12-500 Zinc, Dissolved (ug/l as Zn)
MW12-501 Zinc, Dissolved (ug/l as Zn)
MW12-502 Zinc, Dissolved (ug/l as Zn)
Ground Water Quality Standards Limit Zinc, Dissolved (ug/l as Zn)


Values over time for Arsenic, total (ug/L)
Arsenic, total (ug/L)
10
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Arsenic, Total (ug/l as As)


Values over time for Cadmium, total (ug/L)
Cadmium, total (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Cadmium, Total (ug/l as Cd)


Values over time for Chromium, total (ug/L)
Chromium, total (ug/L)
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Chromium, Total (ug/l as Cr)


Values over time for Copper, total (ug/L)
Copper, total (ug/L)
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Copper, Total (ug/l as Cu)


Values over time for Hardness, total (CaCO3) (mg/L)
Hardness (CaCO3) (mg/L)
90
80
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Hardness, Total (mg/l as CaCO3)


Values over time for Lead, total (ug/L)
Lead, total (ug/L)
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Lead, Total (ug/l as Pb)


Values over time for Manganese, total (ug/L)
Manganese, total (ug/L)
80
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Manganese, Total (ug/l as Mn)


Values over time for Mercury, total (ug/L)
Mercury, total (ug/L)
0.06
0.05
0.04
0.03
0.02
0.01
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Mercury, Total (ug/l as Hg)


Values over time for Nickel, total (ug/L)
Nickel, total (ug/L)
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Nickel, Total (ug/l as Ni)


Values over time for pH, field (pH Units)
pH, field (pH Units)
10
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B pH, Field, Standard Units


Values over time for Sulfate (mg/L)
Sulfate (mg/L)
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Sulfate, Total (mg/l as SO4)


Values over time for TDS (mg/L)
TDS (mg/L)
200
180
160
140
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for Turbidity, field (NTU)
Turbidity, field (NTU)
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Turbidity,Lab Nephelometric Turbidity Units, NTU


Values over time for WAD Cyanide (ug/L)
WAD Cyanide (ug/L)
18
16
14
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Weak Acid Dissociable Cyanide, ug/l


Values over time for Zinc, total (ug/L)
Zinc, total (ug/L)
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
NPDES001B Zinc, Total (ug/l as Zn)


Values over time for BOD, 5 Day (mg/L)
BOD, 5 Day (mg/L)
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 002
APDES Limit BIOCHEMICAL OXYGEN DEMAND


Values over time for Dissolved Oxygen (mg/L)
Dissolved Oxygen (mg/L)
14
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 002
APDES Limit Oxygen, Dissolved mg/l


Values over time for Fecal Coliform (#/100mL)
Fecal Coliform (#/100mL)
500
450
400
350
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 002
APDES Limit FECAL COLIFORM


Values over time for Flow (gpd)
Flow (gpd)
80000
70000
60000
50000
40000
30000
20000
10000
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 002
APDES Limit Flow in Gallons per Day


Value over time for Nitrate (mg/L)
Nitrate-N (mg/L)
25
20
15
10
5
0
180
160
140
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 002
Outfall 002
APDES Limit Nitrite plus Nitrate, Total (mg/l as N)


Values over time for pH, field (pH units)
pH, field (pH units)
10
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 002
APDES Limit pH, Field, Standard Units
APDES Upper Limit pH, Field, Standard Units


Values over time for TSS (mg/L)
TSS (mg/L)
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 002
APDES Limit Total Suspend Solids (Tot. Nonfilterable Residue), mg/l


Values over time for Aluminum, total (ug/L)
Aluminum, total (ug/L)
80
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Aluminum, Total (ug/l as Al)


Values over time for Arsenic, total (ug/L)
Arsenic, total (ug/L)
500
450
400
350
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Arsenic, Total (ug/l as As)


Values over time for Cadmium, total (ug/L)
Cadmium, total (ug/L)
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Cadmium, Total (ug/l as Cd)


Values over time for Chloride (mg/L)
Chloride (mg/L)
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Chloride,Total in Water mg/l


Values over time for Chromium, total (ug/L)
Chromium, total (ug/L)
5
4.5
4
3.5
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Chromium, Total (ug/l as Cr)


Values over time for Copper, total (ug/L)
Copper, total (ug/L)
350
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Copper, Total (ug/l as Cu)


Values over time for Cyanide WAD (ug/L)
Cyanide WAD (ug/L)
350
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Weak Acid Dissociable Cyanide, ug/l


Values over time for Hardness (CaCO3) (mg/L)
Hardness (CaCO3) (mg/L)
800
700
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Hardness, Total (mg/l as CaCO3)


Values over time for Iron, total (ug/L)
Iron, total (ug/L)
7000
6000
5000
4000
3000
2000
1000
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Iron, Total (ug/l as Fe)


Values over time for Lead, total (ug/L)
Lead, total (ug/L)
700
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Lead, Total (ug/l as Pb)


Values over time for Mercury, total (ug/L)
Mercury, total (ug/L)
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Mercury, Total (ug/l as Hg)


Values over time for Nickel, total (ug/L)
Nickel, total (ug/L)
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Nickel, Total (ug/l as Ni)


Values over time for pH, field (pH units)
pH, field (pH units)
10
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit pH, Field, Standard Units
APDES Upper Limit pH, Field, Standard Units


Values over time for Selenium, total (ug/L)
Selenium, total (ug/L)
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Selenium, Total (ug/l as Se)


Values over time for Silver, total (ug/L)
Siver, total (ug/L)
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Silver, Total (ug/l as Ag)


Values over time for Sulfate (mg/L)
Sulfate (mg/L)
800
700
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Sulfate, Total (mg/l as SO4)


Values over time for TDS (mg/L)
TDS (mg/L)
1800
1600
1400
1200
1000
800
600
400
200
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for TSS (mg/L)
TSS (mg/L)
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Total Suspend Solids (Tot. Nonfilterable Residue), mg/l


Values over time for Zinc, total (ug/L)
Zinc, total (ug/L)
1600
1400
1200
1000
800
600
400
200
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 011
APDES Limit Zinc, Total (ug/l as Zn)


Values over time for Arsenic, total (ug/L)
Arsenic, total (ug/L)
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Arsenic, Total (ug/l as As)


Values over time for Cadmium, total (ug/L)
Cadmium, total (ug/L)
0.25
0.2
0.15
0.1
0.05
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Cadmium, Total (ug/l as Cd)


Values over time for Chromium, total (ug/L)
Chromium, total (ug/L)
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001


Values over time for Copper, total (ug/L)
Copper, total (ug/L)
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Copper, Total (ug/l as Cu)


Values over time for WAD Cyanide (ug/L)
WAD Cyanide (ug/L)
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Weak Acid Dissociable Cyanide, ug/l


Values over time for Dilution Ratio
Dilution Ratio
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit DILUTION RATIO


Values over time for Flow (gpm)
Flow (gpm)
30000
25000
20000
15000
10000
5000
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Flow (GPM)


Values over time for Hardness (CaCO3) (mg/L)
Hardness (CaCO3) (mg/L)
400
350
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Hardness, Total (mg/l as CaCO3)


Values over time for Lead, total (ug/L)
Lead, total (ug/L)
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Lead, Total (ug/l as Pb)


Values over time for Manganese, total (ug/L)
Manganese, total (ug/L)
80
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Manganese, Total (ug/l as Mn)


Values over time for Mercury, total (ug/L)
Mercury, total (ug/L)
0.025
0.02
0.015
0.01
0.005
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Mercury, Total (ug/l as Hg)


Values over time for Nickel, total (ug/L)
Nickel, total (ug/L)
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001


Values over time for pH, field (pH units)
pH, field (pH units)
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit pH, Field, Standard Units
APDES Upper Limit pH, Field, Standard Units


Values over time for Sulfate (mg/L)
Sulfate (mg/L)
700
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Sulfate, Total (mg/l as SO4)


Values over time for TDS (mg/L)
TDS (mg/L)
1400
1200
1000
800
600
400
200
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for Turbidity, lab (NTU)
Turbidity, lab (NTU)
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001


Values over time for Zinc, total (ug/L)
Zinc, total (ug/L)
50
45
40
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
Outfall 001
APDES Limit Zinc, Total (ug/l as Zn)


Values over time for Cyanide WAD (mg/kg)
Cyanide, WAD (mg/kg)
40
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC001
PC001 Action Limits Limit Cyanide: WAD CN Field, mg/kg


Values over time for Arsenic, dissolved (ug/L)
Arsenic, dissolved (ug/L)
8000
7000
6000
5000
4000
3000
2000
1000
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Arsenic, Dissolved (ug/l as As)
Flotation Tails Operating Target Range Limit Arsenic, Dissolved (ug/l as As)


Values over time for Cadmium, dissolved (ug/L)
Cadmium, dissolved (ug/L)
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Cadmium, Dissolved (ug/l as Cd)
Flotation Tails Operating Target Range Limit Cadmium, Dissolved (ug/l as Cd)


Values over time for Chloride (mg/L)
Chloride (mg/L)
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Chloride,Total in Water mg/l
Flotation Tails Operating Target Range Limit Chloride,Total in Water mg/l


Values over time for Chromium, dissolved (ug/L)
Chromium, dissolved (ug/L)
Chromium, total (ug/L)
4.5
4
3.5
3
2.5
2
1.5
1
0.5
0
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Chromium, Dissolved (ug/l as Cr)
PC003 Chromium, Total (ug/l as Cr)
Flotation Tails Operating Target Range Limit Chromium, Dissolved (ug/l as Cr)


Values over time for Copper, dissolved (ug/L)
Copper, dissolved (ug/L)
1200
1000
800
600
400
200
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Copper, Dissolved (ug/l as Cu)
Flotation Tails Operating Target Range Limit Copper, Dissolved (ug/l as Cu)


Values over time for Hardness (CaCO3) (mg/L)
Hardness (CaCO3)(mg/L)
2500
2000
1500
1000
500
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Hardness, Total (mg/l as CaCO3)


Values over time for Iron, dissolved (ug/L)
Iron, dissolved (ug/L)
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Iron, Dissolved (ug/l as Fe)
Flotation Tails Operating Target Range Limit Iron, Dissolved (ug/l as Fe)


Values over time for Lead, dissolved (ug/L)
Lead, dissolved (ug/L)
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Lead, Dissolved (ug/l as Pb)
Flotation Tails Operating Target Range Limit Lead, Dissolved (ug/l as Pb)


Values over time for Manganese, dissolved (ug.L)
Manganese, dissolved (ug.L)
700
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Manganese, Dissolved (ug/l as Mn)
Flotation Tails Operating Target Range Limit Manganese, Dissolved (ug/l as Mn)


Values over time for Mercury, dissolved (ug/L)
Mercury, dissolved (ug/L)
Mercury, total (ug/L)
0.01
0.009
0.008
0.007
0.006
0.005
0.004
0.003
0.002
0.001
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Mercury, Dissolved (ug/l as Hg)
PC003 Mercury, Total (ug/l as Hg)
Flotation Tails Operating Target Range Limit Mercury, Total (ug/l as Hg)


Values over time for Nickel, dissolved (ug/L)
Nickel, dissolved (ug/L)
50
45
40
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Nickel, Dissolved (ug/l as Ni)
Flotation Tails Operating Target Range Limit Nickel, Dissolved (ug/l as Ni)


Values over time for Nitrate-N (mg/L)
Nitrate-N (mg/L)
Nitrite plus Nitrate, total (mg/L)
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Nitrate Nitrogen, Total (mg/l as N)
Flotation Tails Operating Target Range Limit Nitrate Nitrogen, Total (mg/l as N)
PC003 Nitrite plus Nitrate, Total (mg/l as N)


Values over time for pH, field (pH units)
pH, field (pH units)
10
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 pH, Field, Standard Units


Values over time for Selenium, dissolved (ug/L)
Selenium, dissolved (ug.L)
1000
900
800
700
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Selenium, Dissolved (ug/l as Se)
Flotation Tails Operating Target Range Limit Selenium, Dissolved (ug/l as Se)


Values over time for Silver, dissolved (ug/L)
Silver, dissolved (ug/L)
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Silver, Dissolved (ug/l as Ag)
Flotation Tails Operating Target Range Limit Silver, Dissolved (ug/l as Ag)


Values over time for Sulfate (mg/L)
Sulfate (mg/L)
3500
3000
2500
2000
1500
1000
500
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Sulfate, Total (mg/l as SO4)
Flotation Tails Operating Target Range Limit Sulfate, Total (mg/l as SO4)


Values over time for TDS (mg/L)
TDS (mg/L)
7000
6000
5000
4000
3000
2000
1000
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
Flotation Tails Operating Target Range Limit TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for Total Nitrogen (TKN) (mg/L)
Total Nitrogen (TKN) (mg/L)
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Total Kjeldahl Nitrogen, mg/l as N
Flotation Tails Operating Target Range Limit Total Kjeldahl Nitrogen, mg/l as N


Values over time for Cyanide WAD (ug/L)
Cyanide WWAD (ug/L)
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Weak Acid Dissociable Cyanide, ug/l
Flotation Tails Operating Target Range Limit Weak Acid Dissociable Cyanide, ug/l


Values over time for Zinc, dissolved (ug/L)
Zinc, dissolved (ug/L)
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
PC003 Zinc, Dissolved (ug/l as Zn)
Flotation Tails Operating Target Range Limit Zinc, Dissolved (ug/l as Zn)


Values over time for BOD, 5 Day (% removal) Sewage Treatment Plant
Biological Oxygen Demand, 5 Day (% removal)
110
105
100
95
90
85
80
75
70
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
BOD, 5 Day, % Removal
% Removal Limit BOD, 5 Day Percent Removal


Value over time for TSS (% removal) Sewage Treatment Plant
Total Suspended Solids (% removal)
110
105
100
95
90
85
80
75
70
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
TSS, % Removal
% Removal Limit Solids, Suspended Percent Removal


Values over time for Alkalinity, Total (mg/L)
Alkalinity, total (mg/L)
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Alkalinity, Total (mg/l as CaCO3)
SW12 Alkalinity, Total (mg/l as CaCO3)
SW15 Alkalinity, Total (mg/l as CaCO3)
SW41 Alkalinity, Total (mg/l as CaCO3)
SW42 Alkalinity, Total (mg/l as CaCO3)
SW49 Alkalinity, Total (mg/l as CaCO3)


Values over time for Aluminum, total & Aluminum, dissolved (ug/L)
Aluminum, total & Aluminum, dissolved (ug/L)
3000
2500
2000
1500
1000
500
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Aluminum, Total (ug/l as Al)
SW12 Aluminum, Total (ug/l as Al)
SW15 Aluminum, Total (ug/l as Al)
SW41 Aluminum, Total (ug/l as Al)
SW42 Aluminum, Total (ug/l as Al)
SW01 Aluminum, Dissolved (ug/l as Al)
SW12 Aluminum, Dissolved (ug/l as Al)
SW15 Aluminum, Dissolved (ug/l as Al)
SW41 Aluminum, Dissolved (ug/l as Al)
SW42 Aluminum, Dissolved (ug/l as Al)
Surface Water Quality Standards Limit Aluminum, Dissolved (ug/l as Al)


Values over time for Antimony, total & Antimony, dissolved (ug/L)
Antimony, total & Antimony, dissolved (ug/L)
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Antimony, Dissolved (ug/l as Sb)
SW12 Antimony, Dissolved (ug/l as Sb)
SW15 Antimony, Dissolved (ug/l as Sb)
SW41 Antimony, Dissolved (ug/l as Sb)
SW42 Antimony, Dissolved (ug/l as Sb)
SW42 Antimony, Total (ug/l as Sb)
SW01 Antimony, Total (ug/l as Sb)
SW12 Antimony, Total (ug/l as Sb)
SW15 Antimony, Total (ug/l as Sb)
SW41 Antimony, Total (ug/l as Sb)
Surface Water Quality Standards Limit Antimony, Dissolved (ug/l as Sb)


Values over time for Arsenic, dissolved & Arsenic, total (ug/L)


Arsenic, dissolved & Arsenic, total (ug/L)
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Arsenic, Dissolved (ug/l as As)
SW01 Arsenic, Total (ug/l as As)
SW12 Arsenic, Dissolved (ug/l as As)
SW15 Arsenic, Dissolved (ug/l as As)
SW15 Arsenic, Total (ug/l as As)
SW41 Arsenic, Dissolved (ug/l as As)
SW41 Arsenic, Total (ug/l as As)
SW42 Arsenic, Dissolved (ug/l as As)
SW42 Arsenic, Total (ug/l as As)
Surface Water Quality Standards Limit Arsenic, Total (ug/l as As)


Values over time for Cadmium, dissolved (ug/L)
(Cadmium is hardness dependant. For graphing purposes the lowest value in the data set was used for the WQS.)
Cadmium, dissolved (ug/L)
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Cadmium, Dissolved (ug/l as Cd)
SW12 Cadmium, Dissolved (ug/l as Cd)
SW15 Cadmium, Dissolved (ug/l as Cd)
SW41 Cadmium, Dissolved (ug/l as Cd)
SW42 Cadmium, Dissolved (ug/l as Cd)
Surface Water Quality Standards Limit Cadmium, Dissolved (ug/l as Cd)


Values over time for Chloride (mg/L)
Chloride (mg/L)
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Chloride,Total in Water mg/l
SW12 Chloride,Total in Water mg/l
SW15 Chloride,Total in Water mg/l
SW41 Chloride,Total in Water mg/l
SW42 Chloride,Total in Water mg/l
Surface Water Quality Standards Limit Chloride,Total in Water mg/l


Values over time for Chromium, dissolved & Chromium, total (ug/L)
Chromium, dissolved & Chromium total (ug/L)
120
100
80
60
40
20
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Chromium, Dissolved (ug/l as Cr)
SW12 Chromium, Dissolved (ug/l as Cr)
SW15 Chromium, Dissolved (ug/l as Cr)
SW41 Chromium, Dissolved (ug/l as Cr)
SW42 Chromium, Dissolved (ug/l as Cr)
SW42 Chromium, Total (ug/l as Cr)
SW01 Chromium, Total (ug/l as Cr)
SW12 Chromium, Total (ug/l as Cr)
SW15 Chromium, Total (ug/l as Cr)
SW41 Chromium, Total (ug/l as Cr)
Surface Water Quality Standards Limit Chromium, Dissolved (ug/l as Cr)


Values over time for Conductivity, field (umhos/cm)
Conductivity, field (umhos/cm)
400
350
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Specific Conductance,Field (umhos/cm @ 25C)
SW12 Specific Conductance,Field (umhos/cm @ 25C)
SW15 Specific Conductance,Field (umhos/cm @ 25C)
SW41 Specific Conductance,Field (umhos/cm @ 25C)
SW42 Specific Conductance,Field (umhos/cm @ 25C)


Values over time for Copper, dissolved (ug/L)
(Copper is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Copper, dissolved (ug/L)
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Copper, Dissolved (ug/l as Cu)
SW12 Copper, Dissolved (ug/l as Cu)
SW15 Copper, Dissolved (ug/l as Cu)
SW41 Copper, Dissolved (ug/l as Cu)
SW42 Copper, Dissolved (ug/l as Cu)
Surface Water Quality Standards Limit Copper, Dissolved (ug/l as Cu)


Values over time for Cyanide, WAD (ug/L)
Cyanide, WAD (ug/L)
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Weak Acid Dissociable Cyanide, ug/l
SW12 Weak Acid Dissociable Cyanide, ug/l
SW15 Weak Acid Dissociable Cyanide, ug/l
SW41 Weak Acid Dissociable Cyanide, ug/l
SW42 Weak Acid Dissociable Cyanide, ug/l
Surface Water Quality Standards Limit Weak Acid Dissociable Cyanide, ug/l


Values over time for Dissolved O2, field (mg/L)
Dissolved O2, field (mg/L)
45
40
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Oxygen, Dissolved mg/l
SW12 Oxygen, Dissolved mg/l
SW15 Oxygen, Dissolved mg/l
SW41 Oxygen, Dissolved mg/l
SW42 Oxygen, Dissolved mg/l


Values over time for Hardness (CaCO3) (mg/L)
Hardness (CaCO3) (mg/L)
100
90
80
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Hardness, Total (mg/l as CaCO3)
SW12 Hardness, Total (mg/l as CaCO3)
SW15 Hardness, Total (mg/l as CaCO3)
SW41 Hardness, Total (mg/l as CaCO3)
SW42 Hardness, Total (mg/l as CaCO3)


Values over time for Iron, total & Iron, dissolved (ug/L)
Iron, total & Iron dissolved (ug/L)
3500
3000
2500
2000
1500
1000
500
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Iron, Total (ug/l as Fe)
SW01 Iron, Dissolved (ug/l as Fe)
SW12 Iron, Total (ug/l as Fe)
SW15 Iron, Total (ug/l as Fe)
SW15 Iron, Dissolved (ug/l as Fe)
SW41 Iron, Total (ug/l as Fe)
SW41 Iron, Dissolved (ug/l as Fe)
SW42 Iron, Total (ug/l as Fe)
Surface Water Quality Standards Limit Iron, Total (ug/l as Fe)
SW42 Iron, Dissolved (ug/l as Fe)
Surface Water Quality Standards Limit Iron, Dissolved (ug/l as Fe)


Values over time for Lead, dissolved (ug/L)
(Lead is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Lead, dissolved (u/L)
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Lead, Dissolved (ug/l as Pb)
SW12 Lead, Dissolved (ug/l as Pb)
SW15 Lead, Dissolved (ug/l as Pb)
SW41 Lead, Dissolved (ug/l as Pb)
SW42 Lead, Dissolved (ug/l as Pb)
Surface Water Quality Standards Limit Lead, Dissolved (ug/l as Pb)


Values over time for Manganese, total (ug/L)
Manganese, total (ug/L)
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Manganese, Total (ug/l as Mn)
SW12 Manganese, Total (ug/l as Mn)
SW15 Manganese, Total (ug/l as Mn)
SW41 Manganese, Total (ug/l as Mn)
SW42 Manganese, Total (ug/l as Mn)
Surface Water Quality Standards Limit Manganese, Total (ug/l as Mn)


Values over time for Mercury, dissolved & Mercury, total (ug/L)
Mercury, dissolved & Mercury, total (ug/L)
0.06
0.05
0.04
0.03
0.02
0.01
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Mercury, Dissolved (ug/l as Hg)
SW12 Mercury, Dissolved (ug/l as Hg)
SW15 Mercury, Dissolved (ug/l as Hg)
SW41 Mercury, Dissolved (ug/l as Hg)
SW42 Mercury, Dissolved (ug/l as Hg)
SW42 Mercury, Total (ug/l as Hg)
SW01 Mercury, Total (ug/l as Hg)
SW12 Mercury, Total (ug/l as Hg)
SW15 Mercury, Total (ug/l as Hg)
SW41 Mercury, Total (ug/l as Hg)
Surface Water Quality Standards Limit Mercury, Dissolved (ug/l as Hg)


Values over time for Nickel, dissolved (ug/L)
(Nickel is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Nickel, dissolved (u/L)
18
16
14
12
10
8
6
4
2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Nickel, Dissolved (ug/l as Ni)
SW12 Nickel, Dissolved (ug/l as Ni)
SW15 Nickel, Dissolved (ug/l as Ni)
SW41 Nickel, Dissolved (ug/l as Ni)
SW42 Nickel, Dissolved (ug/l as Ni)
Surface Water Quality Standards Limit Nickel, Dissolved (ug/l as Ni)


Values over time for Nitrate (mg/L)
Nitrate, total (mg/L)
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Nitrate Nitrogen, Total (mg/l as N)
SW12 Nitrite plus Nitrate, Total (mg/l as N)
SW15 Nitrite plus Nitrate, Total (mg/l as N)
SW41 Nitrite plus Nitrate, Total (mg/l as N)
SW42 Nitrite plus Nitrate, Total (mg/l as N)
SW01 Nitrite plus Nitrate, Total (mg/l as N)
SW15 Nitrate Nitrogen, Total (mg/l as N)
SW41 Nitrate Nitrogen, Total (mg/l as N)
SW42 Nitrate Nitrogen, Total (mg/l as N)
Surface Water Quality Standards Limit Nitrite plus Nitrate, Total (mg/l as N)


Values over time for pH, field (pH units)
pH, field (pH units)
9
8
7
6
5
4
3
2
1
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 pH, Field, Standard Units
SW12 pH, Field, Standard Units
SW15 pH, Field, Standard Units
SW41 pH, Field, Standard Units
SW42 pH, Field, Standard Units
Surface Water Quality Standards Limit pH, Field, Standard Units
Surface Water Quality Standards Upper Limit pH, Field, Standard Units


Values over time for Selenium, total & Selenium, dissolved (ug/L)
Selenium,total, & Selenium dissolved (ug/L)
5
4.5
4
3.5
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Selenium, Dissolved (ug/l as Se)
SW01 Selenium, Total (ug/l as Se)
SW12 Selenium, Total (ug/l as Se)
SW15 Selenium, Dissolved (ug/l as Se)
SW15 Selenium, Total (ug/l as Se)
SW41 Selenium, Dissolved (ug/l as Se)
SW41 Selenium, Total (ug/l as Se)
SW42 Selenium, Dissolved (ug/l as Se)
Surface Water Quality Standards Limit Selenium, Dissolved (ug/l as Se)
SW42 Selenium, Total (ug/l as Se)
Surface Water Quality Standards Limit Selenium, Total (ug/l as Se)


Values over time for Silver, dissolved (ug/L)
Silver, dissolved (ug/L)
0.35
0.3
0.25
0.2
0.15
0.1
0.05
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Silver, Dissolved (ug/l as Ag)
SW12 Silver, Dissolved (ug/l as Ag)
SW15 Silver, Dissolved (ug/l as Ag)
SW41 Silver, Dissolved (ug/l as Ag)
SW42 Silver, Dissolved (ug/l as Ag)
Surface Water Quality Standards Limit Silver, Dissolved (ug/l as Ag)


Values over time for Sulfate (mg/L)
Sulfate (mg/L)
300
250
200
150
100
50
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Sulfate, Total (mg/l as SO4)
SW12 Sulfate, Total (mg/l as SO4)
SW15 Sulfate, Total (mg/l as SO4)
SW41 Sulfate, Total (mg/l as SO4)
SW42 Sulfate, Total (mg/l as SO4)
Surface Water Quality Standards Limit Sulfate, Total (mg/l as SO4)


Values over time for Total Dissolved Solids (TDS) (mg/L)
TDS (mg/L)
600
500
400
300
200
100
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
SW12 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
SW15 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
SW41 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
SW42 TDS, Residue,Total Filtrable (Dried At 180C),mg/l
Surface Water Quality Standards Limit TDS, Residue,Total Filtrable (Dried At 180C),mg/l


Values over time for Temperature, field (deg. C)
Temperature, field (deg. C)
20
15
10
5
0
-5
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Water Temperature (Deg. C)
SW12 Water Temperature (Deg. C)
SW15 Water Temperature (Deg. C)
SW41 Water Temperature (Deg. C)
SW42 Water Temperature (Deg. C)


Values over time for Total Nitrogen (TKN) (mg/L)
Total Nitrogen (TKN) (mg/L)
2
1.8
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Total Kjeldahl Nitrogen, mg/l as N
SW12 Total Kjeldahl Nitrogen, mg/l as N
SW15 Total Kjeldahl Nitrogen, mg/l as N
SW41 Total Kjeldahl Nitrogen, mg/l as N
SW42 Total Kjeldahl Nitrogen, mg/l as N


Values over time for Total Suspended Solids (TSS) (mg/L)
TSS (mg/L)
90
80
70
60
50
40
30
20
10
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Total Suspend Solids (Tot. Nonfilterable Residue), mg/l
SW12 Total Suspend Solids (Tot. Nonfilterable Residue), mg/l
SW15 Total Suspend Solids (Tot. Nonfilterable Residue), mg/l
SW41 Total Suspend Solids (Tot. Nonfilterable Residue), mg/l
SW42 Total Suspend Solids (Tot. Nonfilterable Residue), mg/l


Values over time for Turbidity (NTU)
Turbidity (NTU)
4
3.5
3
2.5
2
1.5
1
0.5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Turbidity,Lab Nephelometric Turbidity Units, NTU
SW12 Turbidity,Lab Nephelometric Turbidity Units, NTU
SW15 Turbidity,Lab Nephelometric Turbidity Units, NTU
SW41 Turbidity,Lab Nephelometric Turbidity Units, NTU
SW42 Turbidity,Lab Nephelometric Turbidity Units, NTU


Values over time for Zinc, dissolved (ug/L)
(Zinc is hardness dependant. For graphing purposes, the lowest value in the data set was used for the WQS.)
Zinc, dissolved (ug/L)
40
35
30
25
20
15
10
5
0
Jan- 2011
Jan- 2012
Dec- 2012
Dec- 2013
Dec- 2014
Dec- 2015
Dec- 2016
SW01 Zinc, Dissolved (ug/l as Zn)
SW12 Zinc, Dissolved (ug/l as Zn)
SW15 Zinc, Dissolved (ug/l as Zn)
SW41 Zinc, Dissolved (ug/l as Zn)
SW42 Zinc, Dissolved (ug/l as Zn)
Surface Water Quality Standards Limit Zinc, Dissolved (ug/l as Zn)